

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

cds-Mortar 0-3 L flex special

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Coating material

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

cds Polymere GmbH & Co. KG

Gau-Bickelheimer Str. 72

55576 Sprendlingen/Rhh.

Telephone no. +49(6701) 9350-0

Fax no. +49(6701) 9350-50

Information provided by / telephone info@cds-polymere.de

1.4. Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317

Repr. 1B H360F

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H317 May cause an allergic skin reaction.

H360F May damage fertility.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308+P313 IF exposed or concerned: Get medical advice/ attention.
 P501.a Dispose of contents/container to licensed disposal contractor and according to official state regulations.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains oxirane, mono[(C12-14-alkyloxy)methyl] derivs. Bisphenol-F-diglycidyl ether, reaction mass of isomers; bis-[4-(2,3-epoxipropoxy)phenyl]propane

Supplemental information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Further supplemental information

Restricted to professional users

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients****bis-[4-(2,3-epoxipropoxy)phenyl]propane**

CAS No.	1675-54-3		
EINECS no.	216-823-5		
Registration no.	01-2119456619-26-XXXX		
Concentration	>= 2,5	< 5	%
Classification (Regulation (EC) No. 1272/2008)			
	Skin Irrit. 2	H315	
	Skin Sens. 1	H317	
	Eye Irrit. 2	H319	
	Aquatic Chronic 2	H411	

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	>= 5 %
Skin Irrit. 2	H315	>= 5 %

Bisphenol-F-diglycidyl ether, reaction mass of isomers

CAS No.	9003-36-5		
EINECS no.	701-263-0		
Registration no.	01-2119454392-40-XXXX		
Concentration	>= 1	< 3	%
Classification (Regulation (EC) No. 1272/2008)			
	Skin Irrit. 2	H315	
	Skin Sens. 1A	H317	
	Aquatic Chronic 2	H411	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

CAS No.	68609-97-2		
EINECS no.	271-846-8		
Registration no.	01-2119485289-22-XXXX		
Concentration	>= 1	< 3	%

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315
Skin Sens. 1	H317
Repr. 1B	H360F

SECTION 4: First aid measures ***

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately. Give a Cortison spray at an early stage.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures ***

5.1. Extinguishing media

Suitable extinguishing media

Dry powder

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. Carbon monoxide (CO); Carbon dioxide (CO₂); Pyrolysis products

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures ***

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage ***

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Do not keep at temperatures above 20 °C.

7.3. Specific end use(s)

Read attached instructions before use.

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Other information

Abbreviations: E = respirable part, A = alveoli absorbable part
There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Type of value

Derived No Effect Level (DNEL)

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	8,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	12,3	mg/m ³

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,6	mg/m ³

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	104,15	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	29,39	mg/m ³

Predicted No Effect Concentration (PNEC)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Type of value	PNEC	
Type	Water	
Concentration	0,006	mg/l

Type of value	PNEC	
Type	Marine	
Concentration	0,0006	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,341	mg/kg

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,034	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l

Type of value	PNEC	
Type	Soil	
Concentration	0,065	mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Type of value	PNEC	
Type	Freshwater	
Concentration	0,0072	mg/l

Type of value	PNEC	
Type	Marine	
Concentration	0,00072	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	307,16	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	30,716	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	61,42	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Type of value	PNEC	
Type	Freshwater	
Concentration	0,003	mg/l

Type of value	PNEC	
Type	Marine	
Concentration	0,0003	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,294	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,0294	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Concentration	10	mg/kg
---------------	----	-------

Type of value	PNEC	
Type	Soil	
Concentration	0,237	mg/kg

Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,0254	mg/l

8.2. Exposure controls

General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, combination filter A-P2; The respiratory protection must comply with the relevant CEN standards.

Hand protection

Chemical resistant gloves
 Appropriate Material nitrile
 Material thickness $\geq$ 0,3 mm
 Breakthrough time $\geq$ 480 min
 Hand protection must comply with EN 374.
 Check leak-tightness/impermeability prior to use.

Eye protection

Safety glasses with side protection shield; Face shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes; Personal protective clothing must comply with the relevant CEN standards.

SECTION 9: Physical and chemical properties ***

9.1. Information on basic physical and chemical properties

Physical state	liquid	
Odour	epoxide like	
Colour	grey to black	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial boiling point and boiling range		
Value	$>$ 200	$^{\circ}\text{C}$
Pressure	1013	hPa
Flammability		
evaluation	not determined	
Upper and lower explosive limits		
Remarks	not determined	

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Flash point

Value > 100 °C

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

pH value

Remarks Not applicable

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value	2		g/cm ³
Temperature	23	°C	

Relative vapour density

Remarks not determined

9.2. Other information**Odour threshold**

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks immiscible

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity *****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

10.5. Incompatible materials

Reactions with strong oxidising agents. Reactions with strong acids. Reactions with strong alkalies.

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information *****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	rat		
LD50		15000	mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	rat		
LD50		26800	mg/kg

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	rat		
LD50	>	2000	mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	rabbit		
LD50		23000	mg/kg

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	rabbit		
LD50	>	4000	mg/kg

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	rat		
LD50	>	2000	mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**oxirane, mono[(C12-14-alkyloxy)methyl] derivs.**

Species	rat		
LC0	>	0,15	mg/l
Duration of exposure		7	h
Administration/Form		Vapors	

Remarks Based on available data, the classification criteria are not met.

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Remarks Saturation Concentration: No demonstrable toxic effect

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Remarks Based on available data, the classification criteria are not met.

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Remarks Saturation Concentration: No demonstrable toxic effect

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Remarks Based on available data, the classification criteria are not met.

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Remarks	Expert judgement
---------	------------------

Skin corrosion/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Skin corrosion/irritation (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	rabbit
evaluation	irritant
Method	OECD 404

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	rabbit
evaluation	irritant
Method	OECD 404

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	rabbit
evaluation	irritant
Method	OECD 404

Serious eye damage/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Serious eye damage/irritation (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	rabbit
evaluation	irritant
Method	OECD 405

Sensitization

evaluation	May cause sensitization by skin contact.
Remarks	The classification criteria are met.

Sensitization (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	mouse
evaluation	sensitizing
Method	OECD 429

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	guinea pig
evaluation	sensitizing
Method	OECD 406

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	guinea pig
evaluation	sensitizing
Method	OECD 406
Source	Buehler test

Subacute, subchronic, chronic toxicity

Remarks	not determined
---------	----------------

Mutagenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Reproductive toxicity

evaluation	May damage fertility.
Remarks	The classification criteria are met.

Reproduction toxicity (Components)**oxirane, mono[(C12-14-alkyloxy)methyl] derivs.**

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Route of exposure	oral
Species	rat
Dose	10 mg/kg/d
evaluation	May damage fertility.
Source	OECD 443

Carcinogenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks	Based on available data, the classification criteria are not met.
---------	---

Repeated exposure

Remarks	Based on available data, the classification criteria are not met.
---------	---

Aspiration hazard

Remarks	Based on available data, the classification criteria are not met.
---------	---

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

Remarks	The product does not contain a substance that has endocrine disrupting properties with respect to humans.
---------	---

Experience in practice

Remarks	Inhalation may lead to irritation of the respiratory tract.
---------	---

Other information

Remarks	No toxicological data are available.
---------	--------------------------------------

SECTION 12: Ecological information *****12.1. Toxicity****General information**

Remarks	not determined
---------	----------------

Fish toxicity (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	rainbow trout (Oncorhynchus mykiss)	
LC50	1,3	mg/l
Duration of exposure	96	h
Method	OECD 203	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	rainbow trout (Oncorhynchus mykiss)	
LC50	> 5000	mg/l
Duration of exposure	96	h

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	Bluegill (Lepomis macrochirus)	
LC50	> 1800	mg/l
Duration of exposure	96	h

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	golden orfe (Leuciscus idus)	
EC50	2,54	mg/l
Duration of exposure	96	h

Daphnia toxicity (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	Daphnia magna
---------	---------------

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

EC50	1,8		mg/l
Duration of exposure	48	h	
Method	OECD 202		

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Species	Daphnia magna		
NOEC	0,3		mg/l
Duration of exposure	h		
Method	OECD 211		

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	Daphnia magna		
EC50	2,55		mg/l
Duration of exposure	48	h	
Method	OECD 202		

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	Daphnia magna		
EC50	7,2		mg/l
Duration of exposure	72	h	
Method	OECD 202		

Algae toxicity (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Species	Selenastrum capricornutum		
EC50	11		mg/l
Duration of exposure	72	h	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Species	Pseudokirchneriella subcapitata		
EC50	844		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Species	Selenastrum capricornutum		
LC50	1,8		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Bacteria toxicity (Components)**oxirane, mono[(C12-14-alkyloxy)methyl] derivs.**

Species	activated sludge		
EC50	> 100		mg/l
Duration of exposure	3	h	
Method	OECD 209		

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Species	Pseudomonas putida		
EC50	100		mg/l

12.2. Persistence and degradability**General information**

not determined

Biodegradability (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

Value	6	to	12	%
Duration of test	28	d		
evaluation	not readily degradable			
Method	OECD 301 F			

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Value	87	%
Duration of test	28	d
evaluation	Readily biodegradable (according to OECD criteria)	
Method	OECD 301 F	

Bisphenol-F-diglycidyl ether, reaction mass of isomers

Value	16	%
Duration of test	28	d
evaluation	not readily degradable	
Method	OECD 301 B	

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

log Pow	3,242
Temperature	25 °C

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

log Pow	3,77
---------	------

Bisphenol-F-diglycidyl ether, reaction mass of isomers

log Pow	3,6
Temperature	20 °C

Bioconcentration factor (BCF) (Components)**bis-[4-(2,3-epoxipropoxy)phenyl]propane**

BCF	31
-----	----

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

BCF	263
-----	-----

Bisphenol-F-diglycidyl ether, reaction mass of isomers

BCF	150
-----	-----

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties**General information**

not determined

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Label			
14.4. Packing group	-	-	-

Information for all modes of transport**14.6. Special precautions for user**

The relevant transport regulations have to be considered.

Other information**14.7 Maritime transport in bulk according to IMO instruments**

no data

SECTION 15: Regulatory information *****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****VOC**

VOC (EU) 0,02 % 0,5 g/l

Other regulations, restrictions and prohibition regulationsHandling epoxy resin systems safely (published by PlasticsEurope) www.plasticseurope.org

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

EU2004/42/IIA(j)500(2010): <500g/l VOC

Restriction according to annex XVII to regulation (EU) No 1907/2006

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Conditions of restriction for the entries Annex XVII REACH should be considered.

Other information

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1	H317	Calculation method
Repr. 1B	H360F	Calculation method
Aquatic Chronic 3	H412	Calculation method

Hazard statements listed in Chapter 2/3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360F	May damage fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Irrit. 2	Eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 CAS: Chemical Abstracts Service
 EAK: Europäischer Abfallkatalog
 VOC: Volatile Organic Compound
 MAK: Maximale Arbeitsplatz-Konzentration
 AGW: Arbeitsplatzgrenzwert
 BGW: Biologischer Grenzwert
 NOEC: No observable effect concentration
 LD: Lethal dose
 LC: Lethal concentration
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: Very persistent and very bioaccumulative
 SVHC: Substances of very high concern
 DNEL: Derived no effect level
 PNEC: Predicted no effect concentration
 OECD: Organisation for Economic Co-operation and Development
 REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
 TRGS: Technische Regeln für Gefahrstoffe

Trade name: cds-Mortar 0-3 L flex special

Version: 5 / GB

Date revised: 29.07.2025

Substance number: 11384

Replaces Version: 4 / GB

Print date: 30.07.2025

Information about Safety Data Sheets Preparers

Oliver Nickel, o.nickel@cds-polymere.de

Supplemental information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.