

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking ***

1.1. Product identifier

Härter S für cds-Mörtel 0-1 FB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Coating material

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

cds Polymere GmbH & Co. KG

Gau-Bickelheimer Str. 72

55576 Sprendlingen/Rhh.

Telephone no. +49(6701) 9350-0

Fax no. +49(6701) 9350-50

Information provided by / telephone info@cds-polymere.de

1.4. Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

Acute Tox. 4 H332

Skin Corr. 1B H314

Eye Dam. 1 H318

Skin Sens. 1 H317

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

EUH071 Corrosive to the respiratory tract.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains benzyl alcohol; 3-aminomethyl-3,5,5-trimethylcyclohexylamine;
 benzyldimethylamine

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients****3-aminomethyl-3,5,5-trimethylcyclohexylamine**

CAS No. 2855-13-2
 EINECS no. 220-666-8
 Registration no. 01-2119514687-32-XXXX
 Concentration $\geq$ 25 < 50 %
 Classification (Regulation (EC) No. 1272/2008)
 Acute Tox. 4 H302
 Skin Corr. 1B H314
 Eye Dam. 1 H318
 Skin Sens. 1A H317

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317 $\geq$ 0,001 %
 ATE oral 1.030 mg/kg

benzyl alcohol

CAS No. 100-51-6
 EINECS no. 202-859-9
 Registration no. 01-2119492630-38-XXXX
 Concentration $\geq$ 25 < 50 %
 Classification (Regulation (EC) No. 1272/2008)
 Acute Tox. 4 H302
 Acute Tox. 4 H332

ATE oral 1.620 mg/kg
 cATpE inhalative, Dust/Mist 1,5 mg/l
 cATpE inhalative, Vapors 11 mg/l

benzyldimethylamine

CAS No. 103-83-3
 EINECS no. 203-149-1
 Registration no. 01-2119529232-48-XXXX

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Concentration	>=	3	<	5	%
Classification (Regulation (EC) No. 1272/2008)					
		Flam. Liq. 3		H226	
		Acute Tox. 4		H302	
		Acute Tox. 4		H312	
		Acute Tox. 3		H331	
		Skin Corr. 1B		H314	
		Aquatic Chronic 3		H412	
ATE	oral		579		mg/kg
ATE	dermal		1.477		mg/kg
cATpE	inhalative, Dust/Mist		0,5		mg/l
ATE	inhalative, Vapors		2,06		mg/l

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately. Give a Cortison spray at an early stage.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. Carbon monoxide (CO); Carbon dioxide

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

(CO₂); Pyrolysis products

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

7.3. Specific end use(s)

Read attached instructions before use.

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Exposure limit values**3-aminomethyl-3,5,5-trimethylcyclohexylamine**

List MAK(GKV 2003)

Other information

Abbreviations: E = respirable part, A = alveoli absorbable part

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)**benzyl alcohol**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	8	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	22	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Acute	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	110	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Acute	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	40	mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	0,073	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	20,1	mg/m ³

benzyl dimethylamine

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	14,6	mg/m ³

Predicted No Effect Concentration (PNEC)**benzyl alcohol**

Type of value	PNEC	
Type	Water	
Concentration	1	mg/l

Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	2,31	mg/l

Type of value	PNEC	
Type	Saltwater	
Concentration	0,1	mg/l

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	39	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	5,27	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,527	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	0,456	mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Type of value	PNEC	
Type	Freshwater	
Concentration	0,06	mg/l

Type of value	PNEC	
Type	Marine	
Concentration	0,006	mg/l

Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,23	mg/l

Type of value	PNEC	
Type	Sewage treatment plant (STP)	

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Concentration	3,18	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	5,784	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,578	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	1,121	mg/kg
benzyl dimethylamine		
Type of value	PNEC	
Type	Freshwater	
Concentration	0,0048	mg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,00048	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,071	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,0071	mg/kg
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,0134	mg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	543	mg/l
Type of value	PNEC	
Type	Soil	
Concentration	0,0114	mg/l

8.2. Exposure controls

General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, Filter A/P2; The respiratory protection must comply with the relevant CEN standards.

Hand protection

Chemical resistant gloves

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Appropriate Material nitrile
 Material thickness $\geq$ 0,3 mm
 Breakthrough time $\geq$ 480 min
 Hand protection must comply with EN 374.
 Check leak-tightness/impermeability prior to use.

Eye protection

Safety glasses with side protection shield; Face shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes; Personal protective clothing must comply with the relevant CEN standards.

SECTION 9: Physical and chemical properties *****9.1. Information on basic physical and chemical properties**

Physical state liquid

Odour amine-like

Colour yellowish

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 200 °C

Pressure 1013 hPa

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value 100 °C

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

pH value

Value 10,5 to 11,5

Concentration/H₂O 1 %

Temperature 20 °C

Viscosity**dynamic**

Value 25 mPa.s

Temperature 25 °C

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Density and/or relative density

Value	1,02		g/cm ³
Temperature	23	°C	

Relative vapour density

Remarks	not determined
---------	----------------

9.2. Other information**Odour threshold**

Remarks	not determined
---------	----------------

Evaporation rate (ether = 1) :

Remarks	not determined
---------	----------------

Solubility in water

Remarks	virtually insoluble
---------	---------------------

Explosive properties

evaluation	not determined
------------	----------------

Oxidising properties

Remarks	not determined
---------	----------------

Other information

None known	
------------	--

SECTION 10: Stability and reactivity *****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

Reactions with strong oxidising agents. Reactions with strong acids. Reactions with strong alkalies.

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information *****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

ATE	1.187,05	mg/kg
	21	

Method	calculated value (Regulation (EC) No. 1272/2008)
Remarks	The classification criteria are met.

Acute oral toxicity (Components)**benzyl alcohol**

Species	mouse	
LD50	1040	mg/kg

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

benzyl alcohol

Species	rat	
LD50	1620	mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	rat	
LD50	1030	mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine

ATE	1030	mg/kg
-----	------	-------

benzyl dimethylamine

Species	rat	
LD50	579	mg/kg

Acute dermal toxicity

ATE	> 10.000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
Remarks	Based on available data, the classification criteria are not met.	

Acute dermal toxicity (Components)**benzyl alcohol**

Species	rabbit	
LD50	> 2000	mg/kg

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	Rats (male/female)	
LD50	> 2000	mg/kg

benzyl dimethylamine

Species	rabbit	
LD50	1477	mg/kg

Acute inhalational toxicity

ATE	14,9364	mg/l
Administration/Form	Vapors	
Method	calculated value (Regulation (EC) No. 1272/2008)	
ATE	2,4205	mg/l
Administration/Form	Dust/Mist	
Method	calculated value (Regulation (EC) No. 1272/2008)	
Remarks	The classification criteria are met.	

Acute inhalative toxicity (Components)**benzyl alcohol**

Species	rat	
LC50	> 4,178	mg/l
Duration of exposure	4	h
Administration/Form	Dust/Mist	
Method	OECD 403	

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	rat	
LC50	> 5,01	mg/l
Duration of exposure	4	h
Administration/Form	Dust/Mist	

benzyl dimethylamine

Species	rat	
LC50	2,06	mg/l
Duration of exposure	4	h
Administration/Form	Vapors	

Skin corrosion/irritation

evaluation	corrosive
------------	-----------

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

Remarks The classification criteria are met.

Skin corrosion/irritation (Components)

3-aminomethyl-3,5,5-trimethylcyclohexylamine
 evaluation strongly corrosive

Serious eye damage/irritation

evaluation corrosive
 Remarks The classification criteria are met.

Serious eye damage/irritation (Components)

3-aminomethyl-3,5,5-trimethylcyclohexylamine
 evaluation corrosive

Sensitization

evaluation May cause sensitization by skin contact.
 Remarks The classification criteria are met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information *****12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**benzyl alcohol**

Species	Fathead minnow (Pimephales promelas)
LC50	460 mg/l
Duration of exposure	96 h

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

benzyl alcohol

Species	golden orfe (<i>Leuciscus idus</i>)	
LC50	> 645	mg/l
Duration of exposure	96	h

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	golden orfe (<i>Leuciscus idus</i>)	
LC50	110	mg/l
Duration of exposure	96	h
Method	OECD 203	

benzyldimethylamine

Species	Fathead minnow (<i>Pimephales promelas</i>)	
LC50	37,8	mg/l
Duration of exposure	96	h

Daphnia toxicity (Components)**benzyl alcohol**

Species	Daphnia magna	
EC50	230	mg/l
Duration of exposure	48	h

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	Daphnia magna	
EC50	23	mg/l
Duration of exposure	48	h
Method	OECD 202	

benzyldimethylamine

Species	Daphnia magna	
EC50	> 100	mg/l
Duration of exposure	48	h

Algae toxicity (Components)**benzyl alcohol**

Species	<i>Pseudokirchneriella subcapitata</i>	
IC50	770	mg/l
Duration of exposure	72	h

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	<i>Scenedesmus subspicatus</i>	
EC50	37	mg/l
Duration of exposure	72	h

benzyldimethylamine

Species	<i>Desmodesmus subspicatus</i>	
IC50	1,34	mg/l
Duration of exposure	72	h

benzyldimethylamine

Species	<i>Desmodesmus subspicatus</i>	
NOEC	0,24	mg/l

Bacteria toxicity (Components)**benzyl alcohol**

Species	<i>Pseudomonas putida</i>	
EC10	> 658	mg/l
Duration of exposure	16	h

benzyl alcohol

Species	<i>Pseudomonas putida</i>	
EC50	390	mg/l
Duration of exposure	24	h

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Species	Pseudomonas putida	
EC10	1120	mg/l
Duration of exposure	16 h	

benzylidimethylamine

Species	Pseudomonas putida	
EC50	749,6	mg/l
Duration of exposure	17 h	

benzylidimethylamine

Species	Pseudomonas putida	
NOEC	534	mg/l

12.2. Persistence and degradability**General information**

not determined

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**3-aminomethyl-3,5,5-trimethylcyclohexylamine**

log Pow 0,79

12.4. Mobility in soil**General information**

not determined

Mobility in soil (Components)**3-aminomethyl-3,5,5-trimethylcyclohexylamine**

Moderately mobile in soils

12.5. Results of PBT and vPvB assessment**General information**

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties**General information**

not determined

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	2735	2735	2735
14.2. UN proper shipping name	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyldimethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyldimethylamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, benzyldimethylamine)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 I	5 I	
Transport category	3		
Tunnel restriction code	E		

Information for all modes of transport

14.6. Special precautions for user

The relevant transport regulations have to be considered.

Other information

14.7 Maritime transport in bulk according to IMO instruments

no data

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

VOC (EU) 4,99 % 50,9 g/l

Other regulations, restrictions and prohibition regulationsHandling epoxy resin systems safely (published by PlasticsEurope) www.plasticseurope.org

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content. EU2004/42/IIA(j)500(2010): <500g/l VOC

Restriction according to annex XVII to regulation (EU) No 1907/2006

Conditions of restriction for the entries Annex XVII REACH should be considered.

Other information

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

Hazard statements listed in Chapter 2/3

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Flam. Liq. 3	Flammable liquid, Category 3
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

CAS: Chemical Abstracts Service

EAK: Europäischer Abfallkatalog

VOC: Volatile Organic Compound

MAK: Maximale Arbeitsplatz-Konzentration

Trade name: Härter S für cds-Mörtel 0-1 FB

Version: 2 / GB

Date revised: 01.08..2025

Substance number: 13497

Replaces Version: 1 / GB

Print date: 01.08.2025

AGW: Arbeitsplatzgrenzwert
BGW: Biologischer Grenzwert
NOEC: No observable effect concentration
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
DNEL: Derived no effect level
PNEC: Predicted no effect concentration
OECD: Organisation for Economic Co-operation and Development
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
TRGS: Technische Regeln für Gefahrstoffe

Information about Safety Data Sheets Preparers

Oliver Nickel, o.nickel@cds-polymere.de

Supplemental information

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.